EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) AND ((grid OR cluster OR n?body OR nbody) WITH comput$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 13:14
L2	3564	(709/201).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/11/12 13:14
L3	1805	(709/221).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/11/12 13:14
L4	5312	L2 OR L3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 13:14
L5	0	L4 AND (((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) AND ((grid OR cluster OR n?body OR nbody) WITH comput$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 13:15
S179	10293	S173 OR S174 OR S175 OR S176 OR S177 OR S178	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/30 15:36
S262	2198	(714/4).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S263	845	(714/2).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S264	311	(714/3).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S265	2748	(714/6).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S266	3093	(709/201).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S267	1540	(709/221).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08

S268	10293	S262 OR S263 OR S264 OR S265 OR S266 OR S267	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S269	2198	(714/4).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S270	845	(714/2).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S271	311	(714/3).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S272	2748	(714/6).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S273	3093	(709/201).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S274	1540	(709/221).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S275	10293	S269 OR S270 OR S271 OR S272 OR S273 OR S274	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S276	2198	(714/4).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S277	845	(714/2).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S278	311	(714/3).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S279	2748	(714/6).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S280	3093	(709/201).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S281	1540	(709/221).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S282	10293	S276 OR S277 OR S278 OR S279 OR S280 OR S281	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S283	670	S282 AND (approximat$3 OR estimat$3) WITH (data OR results OR output)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08

S284	266	S282 AND ((approximat$3 OR estimat$3) WITH (data OR results OR output)) AND (((grid OR cluster OR distribut $2) WITH (computing OR network)) OR (p2p OR p-2-p OR peer?to?peer OR peer?2? peer))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S285	10	S282 AND (((approximat$3 OR estimat$3) WITH (data OR results OR output)) SAME ((node OR nodal OR device OR point) WITH (error OR fail $3))) AND (((grid OR cluster OR distribut$2) WITH (computing OR network)) OR (p2p OR p-2-p OR peer?to? peer OR peer?2?peer))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S286	6	S285 AND (@ad< "20031010" OR @pd< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S287	0	S282 AND ((approximat$3 OR estimat$3) WITH (data OR results OR output)) SAME (multi?cycle OR cyclic OR redundent)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S288	51	S282 AND ((approximat$3 OR estimat$3) WITH (data OR results OR output)) AND (multi?cycle OR cyclic OR redundent)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S289	51	S282 AND ((approximat$3 OR estimat$3) WITH (data OR results OR output)) AND (multi?cycle OR cyclic)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S290	23	S282 AND ((approximat$3 OR estimat$3) WITH (data OR results OR output)) AND (multi?cycle OR cyclic) AND (((grid OR cluster OR distribut $2) WITH (computing OR network)) OR (p2p OR p-2-p OR peer?to?peer OR peer?2? peer))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S291	16	S290 AND (@ad< "20031010" OR @pd< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S292	16	S290 AND (@ad< "20031010" OR @pd< "20031010" OR @rlad< "20031010") AND (fail $3 OR error)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S293	1	("20040098447").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08

S294	1	("20020038301").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/12/31 15:08
S295	3402	S282 AND (grid OR distributed OR cluster) WITH (computing OR network)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S296	57	S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail$3 OR error) SAME (sav$3 WITH state))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S297	160	S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail$3 OR error) SAME (return$3 WITH result$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S298	1	S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail$3 OR error) SAME (return$3 WITH result$3) SAME (???comput$3 OR ??? calculat$3 OR ???process$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S299	34	S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail$3 OR error) SAME (return$3 WITH result$3) SAME (node))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S300	24	S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail$3 OR error) SAME (return$3 WITH result$3) WITH (node))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S301	22	S300 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") AND (fail $3 OR error)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:08
S302	0	S301 AND (fail WITH time WITH delay)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:10
S303	60	S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND (fail$3 WITH time WITH delay)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:11
S304	54	S303 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") AND (fail $3 OR error)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/12/31 15:11

S305	1	S303 AND (@ad< "20031010" OR @pd< "20031010" OR @rlad< "20031010") AND ((fail $3 OR error) SAME (disconnect OR dis-connect))	US-PGPUB; IBM_TDB	OR	ON	2008/12/31 15:14
S306	1	("20050081083").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/11/12 10:34
S307	1	("20030005068").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/11/12 11:50
S308	260482	(approx$8 WITH (result OR data OR information))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 11:56
S309	236921	(approx$8 WITH (result OR data))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 11:56
S310	48671	((approximate OR approximating) WITH (result OR data OR information))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 11:57
S311	1002	((approximate OR approximating) WITH (result OR data OR information)) SAME (computing)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 11:58
S312	13	((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) SAME (computing)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 11:59
S313	436	((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 11:59
S314	80	((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) AND (grid OR cluster OR n? body OR nbody)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 11:59
S315	50	S314 AND (@ad< "20031010" OR @pd< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 12:00
S316	10	((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) AND ((grid OR cluster OR n? body OR nbody) WITH comput $4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 12:01
S317	8	S316 AND (@ad< "20031010" OR @pd< "20031010" OR @rlad< "20031010")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/12 12:01

11/12/2009 1:16:19 PM
C:\ Documents and Settings\ jgreene3\ My Documents\ EAST\ Workspaces\ 10821082Interference.
wsp